

PERFECT VISION[®] V20 VIDEOSCOPE INSPECTION SYSTEM

From the makers of the *BUSTER K910B*

The V20 Videoscope Inspection System is the latest technology in visual inspections for law enforcement officers. It combines all of the features you have come to expect from your fiberscope - long, thin, flexible shaft to access hard-to-reach areas, bright light to illuminate dark spaces, rechargeable batteries - while providing the *CLEAREST* image, *HUGE* display, push-button STILL/VIDEO image capture (without attachments), image *ZOOM* capability, and *LESS* breakable parts means *FEWER*, *CHEAPER*, *FASTER* repairs. It is the *FIRST* scope certified as *SAFE* for use in hazardous locations like fuel tanks. Get yours today!



The experience for PERFECT inspection. The SAFEST way to see. CERTIFIED!

The first scope certified safe for fuel use by Underwriters Laboratory (UL), the leading authority on product safety.

Each System Includes:

- 2-Way articulating 2.0m x 6mm probe
- Fuel-proof Tungsten armor
- 3.5x continuous digital live-image zoom
- Built-in LED Light – 3-stage intensity adjustment
- 5 inch (12.7cm) VGA display
- Still image capture and on-screen review
- Digital video recording and on-screen review
- On-screen menu and push button feature controls
- Built-in rechargeable battery with 6-hour operation time
- Battery charger
- Window Wedge and Fuel Tank Adaptor
- **CERTIFIED SAFE IN HAZARDOUS LOCATIONS BY UNDERWRITERS LABORATORY** 

PERFECT VISION® V20 VIDEOSCOPE IMAGES

Photos Inside of a Fuel Tank

Photos Inside of a Vehicle Door



OPERATING UNIT

5" (12.7cm) TFT Color Hi resolution LCD display screen (640 x 480)
 CMOS video chip with 160,000 pixel image resolution
 3.5x continuous digital zoom
 6 hr rechargeable Li-Ion Battery with AC/DC charger. 2 hr recharge time.
 On-screen battery charge percentage indicator
 Display language English. Other languages available upon request

IMAGE CAPTURE

Push-button still and video image capture
 On-Screen image review and resizing
 SDHC memory card for image storage - 8GB standard (8000 photos, 4+ hrs video)

PROBE

80" (2.0 meter) long flexible shaft. 1/4" (6mm) shaft diameter.
 Tungsten armor braid fuel/water/moisture and impact resistant flexible shaft
 2-way, ≥200° articulation, one-hand thumb-trigger control
 Recessed optical lens for maximum protection

ILLUMINATION

Integral high-powered 3W LED light with 3-step push button illumination adjustment

CONSTRUCTION

±90° rotatable display, ±90° rotatable scope handle
 <3 lbs (<1.35kg)
 Operating temperature: 5°F to 176°F (-15°C to + 80°C)

SAFETY

Underwriter's Laboratory (UL) certified safe for use in hazardous environments

OPTIONS

Removable Sun Shield - increases visibility in sunlight
 Spare battery - doubles field use time
 Neck strap - ergonomically reduces weight and increases maneuverability



Ph: 510.864.8010 www.cseco.com email: info@cseco.com

PROUDLY CELEBRATING 30 YEARS OF PARTNERSHIP WITH GOVERNMENTS & LAW ENFORCEMENT AGENCIES WORLDWIDE